## **MINUTES**

## TOWN COUNCIL – ACTING AS WATER POLLUTION CONTROL AUTHORITY COUNCIL CHAMBERS – MUNICIPAL CENTER

SPECIAL MEETING January 19, 2023 – 6:30p.m.

The public hearing was called to order at 6:30pm in the Council Chambers of the Municipal Center, One Central Square. Present were Chairwoman Pugliese, Vice Chairman Underwood, Council members Morante, Rocco, Tompkins, Town Manager Paulhus, Assistant Town Manager Cirioli, and Town Attorney Mastrianni. Also, in attendance John Bossi, Technical Services Director. Council members Catanzaro and Wazorko was absent.

\*\*Town Clerk Porrini read the following legal notice:

## LEGAL NOTICE TOWN OF PLAINVILLE TOWN COUNCIL PUBLIC HEARING JANUARY 19, 2023

NOTICE IS HEREBY GIVEN that the Plainville Town Council will hold a public hearing at 6:30 p.m. on Thursday January 19, 2023, in the Council Chambers of the Municipal Center, One Central Square in Plainville to hear public comments regarding the installation of public sewers in the Honor Heights neighborhood.

Dated at Plainville, Connecticut this 16th day of January 2023.

Town Manager Paulhus stated no final decisions would be made at tonight's public hearing. Mr. Paulhus gave a brief overview of the full scope of the project.

Director of Technical Services John Bossi gave a brief overview of the project. Mr. Bossi explained the estimated timeline of the project.

Chairwoman Pugliese opened the hearing for comments.

<u>Janet Hayes, 4 D'Amico Dr.</u> spoke in favor of the sewer installation project, she had questions regarding placement of sewer lateral.

David Ierardi, 42 Washburn Dr. has concerns regarding the location of the sewer lateral.

<u>Heidi Ulrich, 6 D'Amico Dr.</u> spoke on behalf of her parents, she has concerns regarding location of the sewer lateral. She is is concerned with the beneficial assessment fees and residents who are living on a fixed income.

<u>Elvin Orta</u>, 9 <u>Robidoux Dr.</u> stated he does not intend to connect to public sewer. He has concerns regarding location of sewer lateral.

<u>Elzibieta Szusakiewicz, 7 D'Amico Dr.</u> questioned if the town has secured bids for this project. She asked why the sewer extension was needed.

Mike Daniels, 12 Hull Dr. questioned the value of the Assessment of Benefit.

<u>Candy Palaia, 14 D'Amico Dr.</u> questioned the location of the sewer lateral. She asked the process in which a property owner would need to follow to connect to the sewer main.

Francis Cudak, 48 Washburn Dr. raised questions regarding the location of the sewer lateral location.

Hearing no more comments the hearing was closed.

At 7:40 pm Vice Chairman Underwood motioned to adjourn. The motion was seconded by Councilwoman Rocco and passed 5-0.

Respectfully submitted by,

Cindyletorrini

Cindy A. Porrini

Town Clerk & Clerk of the Town Council